

DESCRIPTION

Water-repellent liquid (Anidrol L), paste (Anidrol Pasta), powder (Anidrol P), for preparation of mortar, concrete and waterproof plasters. Formulated by WINKLER Research & Development laboratories.

USAGE

It is recommended for basins, wells, bases, foundation walls, tunnels, tanks and for all applications requiring excellent damp proofing, resistance to gale winds and water jets, as well as to water seepage.

WARNING

Do not add any additive.

Do not use the product if the packaging is damaged.

Do not add water if not specifically indicated for the kind of application requested.

APPLICATION

The product is ready to use. Add Anidrol P to the compound when mixing,; add Anidrol L and Anidrol Pasta to the compound water while mixing.

PRECAUTIONS:

Always use fresh cement and not aluminous ones. Use clean water.

CONSUMPTION

Anidrol P: 1.5-3 kg per 100 kg cement.

Anidrol L: 1.5-3 lt per 100 kg cement.

Anidrol Pasta: 1.5-3 kg per 100 kg cement.

PACKAGING

Anidrol P: 1 kg bags – 30 pcs per box

Anidrol L: 1lt bottles – 12 pcs per box / 5 - 20 lt drums

Anidrol Pasta: 5-10-20 kg buckets.

STORAGE

The product has 12 months stability if properly stored in a cold dry place.

Limit temperatures of storage + 5 °C and + 35°C.

SAFETY INSTRUCTIONS

PRECAUTIONS

For information about safety, user must refer to the most recent Safety Data Sheet, edited in accordance with the regulations in force, which contains physical, toxic and other data about the product in use.

ECOLOGY

Do not through out the product and/or empty containers in the environment. Consult the most recent Safety Data Sheet for further information about disposals.

TECHNICAL FEATURES PRODUCT FOR PROFESSIONALS ONLY

	ANIDROL L	ANIDROL PASTA	ANIDROL P
Look:	Liquid	Paste	Powder
Colour:	White	White	White
Density at 20°C (g/cm ³):	1.00	1.27	0.56
Solid content (%):	7.00	70	100

The information contained in this technical data sheet is to the best of our knowledge correct. However, by no means can it be considered a guarantee, as usage, working area and application of the product in accordance with the instructions given and their success in application is beyond our control and is dependent on a number of factors. We decline any responsibility for the improper use of the product as the application recommendations contained herein are to be considered as a general guideline. If at all in doubt, preliminary tests should be carried out. WINKLER S.r.l. reserves the right to modify and up-date said data sheets without prior notice. Clients are kindly requested to verify that they are in possession of the current edition.