

PRODUCT DATA SHEET

ITEM CODE: SEE DN
ISSUE DATE: 7/03/2022
REVIEW: NO. 5

COVERAME

DESCRIPTION OF THE PRODUCT

Copper-coloured, water-based protective paint. Free from organic solvents.
Developed by WINKLER Research & Development Laboratories.

FIELDS OF USE

Product designed to protect bituminous coverings and foamed polyurethane from UV rays and heat absorption. Its high elasticity makes it ideal for use on elastomeric bituminous membranes (SBS). It is also suitable for application on concrete, corrosion-resistant metals, and downpipes.

SURFACE PREPARATION

Thoroughly clean the substrate to remove dust, oil, grease, and any other contaminants that could impair adhesion. Bitumen-polymer membranes must be allowed to cure for a minimum of 180 days before applying the product.

WARNING

Do not add additives.
Do not use the product if the packaging is damaged.
Do not add water or solvents.

PRECAUTIONS

Mix thoroughly before use to achieve complete homogenization of the product.
Apply at temperatures between +5°C and +35°C, in a minimum of two coats.
Apply the second coat only after the first has fully dried.
Protect the treated surface from water, rain, and snow for the first 24 hours.
Avoid application under conditions of high night-time humidity.
Do not apply **COVERAME** on surfaces subject to water stagnation or when rain is imminent.

PRODUCT DATA SHEET

APPLICATION

The product is ready to use and can be applied using a roller, brush, or airless spray gun. Allow the surface to dry thoroughly before applying additional coats. The product must only be applied to completely dry surfaces, and each coat should be applied only after the previous one has fully dried.

CONSUMPTION

300 g/m² per in two coats

PACKAGING

5-20 kg buckets

STORAGE

The product in its original and undamaged packaging, can be stored for up to 12 months. Store at temperatures between +5°C and 35 °C. The product is not frost-resistant.

SAFETY INSTRUCTIONS

PRECAUTIONS

For safety information, the user must refer to the latest Safety Data Sheet (SDS), prepared in accordance with applicable regulations. The SDS contains detailed information on the physical, toxicological, and safety characteristics of the product.

DISPOSAL AND ENVIRONMENTAL PRECAUTIONS

Do not release the product or empty containers into the environment. For detailed disposal instructions, refer to the most recent Safety Data Sheet (SDS).

PRODUCT DATA SHEET

TECHNICAL FEATURES (average value)

FEATURES	RESULTS
Colour	Shiny copper
Specific weight	1.095 + 0.01 g/cm ²
pH	8.5+0.5
Dry residues	16+1%
Brookfield viscosity	950+100 cps
Touch dry at 20°C	Approx. 30 minutes
Drying time at 20°C	Approx 6 - 8 hours
Resistance to UV rays	Excellent
Foot traffic	Good
Dilution	Ready for use

PRODUCT FOR PROFESSIONAL USE ONLY

DISCLAIMER AND LEGAL NOTICE - WINKLER

The information and instructions contained in this Technical Data Sheet are prepared on the basis of WINKLER's best technical and application knowledge and are provided for guidance only. However, since WINKLER cannot directly control site conditions or the execution of works, these indications are in no way binding on WINKLER.

The data provided do not exempt the purchaser from the responsibility of verifying, through practical tests and comprehensive applications, the suitability of the product for the intended use and of determining whether it is appropriate for the desired application; the user assumes all responsibility arising from its use. The customer is also responsible for verifying that this Technical Data Sheet is valid for the batch of product of interest and that it has not been superseded by later editions. The updated Technical Data Sheet is available on WINKLER's official website.

The contents of this Technical Data Sheet may be reproduced in other project documents, but the resulting document may under no circumstances replace or supplement the Technical Data Sheet in force at the time of application of the WINKLER product. Any alteration of the text or conditions contained in this Technical Data Sheet or derived from it releases WINKLER from any liability. WINKLER reserves the right to make technical changes of any kind to its products and/or Technical Data Sheets without notice. This revision cancels and replaces all previous ones.