

# PRODUCT DATA SHEET

## SKERMO 9 CONSOLIDANTE

ITEM CODE: SEE DN  
ISSUE DATE: 14/01/2022  
REVIEW: NO. 2

### DESCRIPTION OF THE PRODUCT

Solvent-based, single-component, ready-to-use consolidating product, developed by WINKLER Research & Development Laboratories.

### FIELDS OF USE

Product used for the consolidation of deteriorated surfaces made of natural stone, brick, plaster, and concrete. It restores the original permeability and strength of the substrate. After treatment, surfaces can be plastered and/or painted.

### SURFACE PREPARATION

To achieve optimal results, rising damp must be eliminated from the masonry prior to application by means of a chemical barrier (**SKERMO 7**). Surfaces to be treated must be clean, dry, and free from dust, oils, greases, encrustations, efflorescence, old paint residues, algae, and moss. If solvents or detergents are used during cleaning, the surfaces should be thoroughly rinsed with water or steam prior to application and allow to dry completely.

### RECOMMENDATIONS

Do not add cement or additives.  
Do not use the product if the packaging is damaged.  
Do not add solvents unless specifically required for your application.

### WARNINGS

Do not apply the product when rain is imminent or on surfaces directly exposed to and heated by UV rays. Before application, carry out a preliminary test on a small area of the substrate to verify colour stability. Protect solvent-sensitive surfaces (such as door and window frames, glass, doors, etc.) prior to application. Apply several "wet-on-wet" coats at temperatures between +5°C and +35°C.

# PRODUCT DATA SHEET

## APPLICATION

The product is ready for use and can be applied using a hand brush, a short-bristle roller, or a low-pressure spray gun.

## CONSUMPTION

500-900 ml/m<sup>2</sup>, depending on the absorption capacity of the substrate.

## PACKAGING

10 L can

## STORAGE

The product in its original and undamaged packaging, can be stored for up to 6 months. Store at temperatures between +5°C and 35 °C. The product is not frost-resistant.

## SAFETY INSTRUCTIONS

### PRECAUTIONS

For safety information, the user must refer to the latest Safety Data Sheet (SDS), prepared in accordance with applicable regulations. The SDS contains detailed information on the physical, toxicological, and safety characteristics of the product.

### DISPOSAL AND ENVIRONMENTAL PRECAUTIONS

Do not release the product or empty containers into the environment. For detailed disposal instructions, refer to the most recent Safety Data Sheet (SDS).

# PRODUCT DATA SHEET

## TECHNICAL FEATURES (average value)

FEATURES	RESULT
Silicon organic compound	>75 %
Minimum gel separation	Approx. 34 % by weight
Density at 25 °C	0.97 ± 0.02
Flash point (DIN 53213)	+13°C
Colour	From colourless to clear light yellow

## PRODUCT FOR PROFESSIONAL USE ONLY

### DISCLAIMER AND LEGAL NOTICE - WINKLER

The information and instructions contained in this Technical Data Sheet are prepared on the basis of WINKLER's best technical and application knowledge and are provided for guidance only. However, since WINKLER cannot directly control site conditions or the execution of works, these indications are in no way binding on WINKLER.

The data provided do not exempt the purchaser from the responsibility of verifying, through practical tests and comprehensive applications, the suitability of the product for the intended use and of determining whether it is appropriate for the desired application; the user assumes all responsibility arising from its use. The customer is also responsible for verifying that this Technical Data Sheet is valid for the batch of product of interest and that it has not been superseded by later editions. The updated Technical Data Sheet is available on WINKLER's official website.

The contents of this Technical Data Sheet may be reproduced in other project documents, but the resulting document may under no circumstances replace or supplement the Technical Data Sheet in force at the time of application of the WINKLER product. Any alteration of the text or conditions contained in this Technical Data Sheet or derived from it releases WINKLER from any liability. WINKLER reserves the right to make technical changes of any kind to its products and/or Technical Data Sheets without notice. This revision cancels and replaces all previous ones.