

NATURE OF THE PRODUCT

Solvent-based, single component, colourless, water repellent and reinforcement product, developed in WINKLER Research & Development Laboratories.

USE

Product used for reinforcing surfaces in natural stone, bricks, plaster, concrete to be left exposed.

PREPARATION OF SURFACES

Remove dust, oil, grease, non-stick substances. Plaster any cracks and apply over dry surfaces.

RECOMMENDATIONS

No additives or additional cement required.
Do not use if the container is damaged.
Do not add solvents if not required for your use.

APPLICATION

The product is ready for use and can be applied using a hand brush, a roller with short bristles or a low-pressure gun. Apply at least two coats, "wet on wet".

WARNINGS

Do not apply when rain is imminent or on surfaces directly hit and heated by UV rays. We recommend applying temperatures between +5°C and +35°C.

CONSUMPTION

300-700 ml/m² according to the absorption capacity of the support.

PACKAGING

10 litre cans.

STORAGE

If the product is stored in its unopened original packaging, shelf-life is 6 months. Store at temperatures between +5°C and +35°C.

SAFETY STANDARDS

CAUTION

For information about safety standards, users must refer to the most recent Safety Sheet drafted in compliance with currently applicable Safety Standards, containing physical, toxicological and other data about the product used.

ECOLOGY

Dispose of the product and/or empty packaging in appropriate sites. For further information about waste disposal, see the most recent Safety Sheet.

TECHNICAL DATA (average values)

PRODUCT FOR PROFESSIONALS

Silicon organic compound:	> 70%
Siloxane organic compound:	< 10%
Minimum gel separation:	approx. 34% in weight
Density at +25°C:	0.96 ± 0.02
Flash point (DIN 53213):	+13°C
Colour:	from colourless to clear light yellow

The information contained in this technical data sheet is to the best of our knowledge correct. However, by no means can it be considered a guarantee, as usage, working area and application of the product in accordance with the instructions given and their success in application is beyond our control and is dependent on a number of factors. We decline any responsibility for the improper use of the product as the application recommendations contained herein are to be considered as a general guideline. If at all in doubt, preliminary tests should be carried out. WINKLER S.r.l. reserves the right to modify and up-date said data sheets without prior notice. Clients are kindly requested to verify that they are in possession of the current edition.